

Slotted angle shelving

Dismountable shelves for light loads



The most versatile and easy to assemble manual storage and picking system for light loads

The slotted angle shelves by Mecalux are manufactured with high-quality materials and processes to ensure maximum strength and long durability, with a load capacity of up to 300 kg per level.

They come in multiple sizes and possible combinations to suit any storage requirement in production centres, workshops, warehouses, offices, shops, etc.


Assembly is very simple, with perfectly fitting components and without the need for special tools. Additionally, they are completely dismantlable and can be modified or expanded both in height and length.



They can also incorporate intermediate aisles and gangways to maximise space at heights.

In short, slotted angle shelves constitute a simple, low-cost

and versatile system for the manual storage of all kinds of light and medium weight products, while offering excellent quality materials and finishes



Advantages


A simple, low-cost system for all sorts of applications

1 Maximum quality at a minimum cost

A very cost-effective system with high-quality components.

Metallic profiles: are manufactured in multiples of 50 mm long, up to 6 m high, and with three possible finishes: galvanised steel, stainless steel or painted blue in a corrosion and fire resistant epoxy powder. They rest on the floor using plastic or metal footplates.

Shelves: are made of cold-rolled premium steel sheeting, and finished in galvanised steel or painted grey with paint dried at high temperatures.



2 Space savings

The different sizes and combinations of the profiles and shelves enable their adaptation to the most diverse product volumes.

3 Harness space at heights

Optimisation of space at heights with the incorporation of intermediate aisles and gangways. Shelves are height adjustable every 25 mm.





Double plastic footplate

Single plastic footplate



Metal footplates

4 Easy assembly

The components bolt together effortlessly, facilitating rapid assembly and disassembly. It is also possible to incorporate additional shelves.




5 Versatility and resilience

Suitable for the manual storage of all kinds of light loads: up to 110 kg per level with a single profile, and up to 300 kg with a double reinforced profile. Combinable with other storage and picking systems.

6 Safety

Various stiffening elements guarantee shelf stability: corner brackets, top porticos, side panels, etc.

Examples of slotted angle and shelf assembly



Accessories

Multiple accessories to fulfil all picking needs

Slotted angle shelving by Mecalux has an extensive range of accessories that expands its functionality and facilitates its adaptation to any workflow demands the customer requires. The most commonly used are:



The doors include a lock with two keys.



Doors

They permit the assembly of closeable cabinets, suitable for offices and to safeguard more fragile or valuable goods. They are manufactured in two standard heights: 1 and 2 m.



Side panels

Metal pieces that are used for longitudinal stabilisation and to close off shelf bottoms or to separate units. There is a variant with perforated panels, ideal for hanging tools or various items.



Drawers

Made of either metal or plastic, they are straightforward to install and come in numerous sizes to store all kinds of products. Dividers can be placed to create different sized sections in the same drawer.

Shelf dividers

Metal pieces which are inserted into the shelves to divide load levels into various spaces.



HEAD OFFICE - SPAIN - Silici, 1 - 08940 Cornellà de Llobregat - Barcelona
Tel. +34 932 616 913 – info@mecalux.com – mecalux.com

EUROPE

BELGIUM

Tel. +32 2 346 90 71
info@mecalux.be
mecalux.be

CZECHIA

Tel. +420 222 524 240
info@mecalux.cz
mecalux.cz

FRANCE

Tel. +33 01 60 11 92 92
info@mecalux.fr
mecalux.fr

GERMANY

Tel. +49 (0) 2133 5065 0
info@mecalux.de
mecalux.de

ITALY

Tel. +39 02 98836601
info@mecalux.it
mecalux.it

NETHERLANDS

Tel. +31 208 08 30 96
info@mecalux.nl
mecalux.nl

POLAND

Tel. +48 32-331 69 66
info@mecalux.pl
mecalux.pl

PORTUGAL

Tel. +351 21 415 18 90
info@mecalux.pt
mecalux.pt

SLOVAKIA

Tel. +421 220 545 117
info@mecalux.sk
mecalux.sk

TURKEY

Tel. +90 216 706 10 15
info@mecalux.com.tr
mecalux.com.tr

UNITED KINGDOM

Tel. +44 0121 3336 602
info@mecalux.co.uk
mecalux.co.uk

AMERICA

ARGENTINA

Tel. +54 (11) 4006-4444
info@mecalux.com.ar
mecalux.com.ar

BRAZIL

Tel. +55 19 3809-6800
info@mecalux.com.br
mecalux.com.br

CHILE

Tel. +56 (2) 2827 6000
info@mecalux.cl
mecalux.cl

COLOMBIA

Tel. +57 01 8000 423 553
info@mecalux.com.co
mecalux.com.co

MEXICO

Tel. +52 (664) 647 22 00
info@mecalux.com.mx
mecalux.com.mx

PERU

Tel. +51 (1) - 323 4646
info@mecalux.pe
mecalux.pe

URUGUAY

Tel. +598 2683-8879
info@mecalux.com.uy
mecalux.com.uy

USA

Tel. 1-877-632-2589
info@interlakemecalux.com
interlakemecalux.com

